



<u>Rev 3-9-17</u>	<u>Data Managemnet activities</u>	<u>Breeding/Pregnant Heifers</u>	<u>All Cows</u>	<u>Replacement Heifer CALVES</u>	<u>Feedlot Steers & cull Heifers</u>	<u>Breeding Bulls</u>
13-Jan		BREEDING: AI Breeding ended January 5 (45 days after AI) <u>Began Feeding 4% P Minerals</u>		3-4 months old Vaccinations: Vaccinate BI's <u>Alpha 7</u> , and <u>"Pyramid 5 + Presponse SQ"</u>	3-4 months old Vaccinations: Vaccinate <u>Alpha 7</u> and <u>"Pyramid 5 + Presponse SQ"</u> Implant steers with Ralgro	Bulls out from heifers.
15-Feb	Determine: Number of vaccines required and order.		BULLS OUT Breeding ends February 13 (65 days since AI) <u>Began Feeding 4% P Hi Mg Minerals</u>			<u>Feed 4% P Minerals</u> Move bulls to SF or Pops
5-Mar		Preg check 60 days after last breeding. Vaccinate pregnant heifers with Pyramid 10 and injectable dewormer				
April 6			Vet Preg Check (April 4 at ML& T) (60 days after last breeding) Keeper COWS are Dewormed with Cydectin Injectable and vaccinated with BI's Pyramid 10. Weigh, BCS, hoof score, and disposition score. Plus Frame score if =<4YO.	PREWEANING: Vaccinate with <u>Pyramid 10</u> and <u>Caliber 7</u> . Deworm with <u>INJECTABLE Cydectin</u> . Begin some bunk feeding to train calves.	PREWEANING: Vaccinate with <u>Pyramid 5</u> and <u>Caliber 7</u> . Deworm with <u>INJECTABLE Cydectin</u> . <u>Implant steers with Ralgro Magnium</u>	If needed, move bulls to pastures with cattle that ARE PREGNANT
April 25 - WEANING	Record weaning wt for final weaning weight. Add Carcass data from last years calves. Submit ALL data to ASA		Vet Preg Check (April 25 at Joe & FO (60 days after Bull out) Keeper COWS are Dewormed with Cydectin Injectable and vaccinated with BI's Pyramid 5. Weigh, BCS, hoof score, and disposition score. Plus Frame score if =<4YO. <u>Began Feeding 4% P Minerals</u>	Collect "Weaning Weight", disposition, Frame Score., hoof socre. Calves weaned. Heifers and steers kept together.	Collect "Weaning Weight", disposition, Frame Score., hoof socre. Calves weaned. Heifers and steers kept together. GET THEM ON A FEED TO GAIN 3 ADG	
1-Jun	PRIOR to June 1, Use cow history to evaluate which calves go to replacment heifers, to feedlot and to Sale Barn. Update "Calf Outcome" with heifer pregnancy results.	Install Fly Tags	Evaluate production records & indentify poor performers. Cull and sell them. Install Fly Tags	Weigh and separate replacement heifers from stockers. Establish supplement feed rate to achieve desired breeding weight. Install Fly Tags	WEIGH: Weight Feedlot bound calves to see how they are gaining. Estimate Shipping Date. Vaccinate 21 days prior to shipment with " <u>Pyramid 5 + Presponse SQ</u> " Reimplant with <u>Synovex-S</u> , <u>De worm with POUR=ON S Cydectin</u> YEARLING DATA Weigh and BCS, hoof score, Hip height, disposition score and Frame score	
15-Jun					Confirmed ship date. GET VET TO PREPARE HEALTH PAPERS. LINE UP TRUCK	
28-Jun					Ship feedlot steers. Put on hay and water 24 hors prior to shipment. Weigh as close to shipping as possible.	

<u>Rev 3-9-17</u>	<u>Data Managemnet activities</u>	<u>Breeding/Pregnant Heifers</u>	<u>All Cows</u>	<u>Replacement Heifer CALVES</u>	<u>Feedlot Steers & cull Heifers</u>	<u>Breeding Bulls</u>
July 15	Evaluation: Evaluation: Determine what AI sires will be used on which animal	EXAMINE: Examine for BCS. Adjust supplement as needed to obtain BCS 6.	EXAMINE: Examine for BCS. Mature cows must make it without supplement. 1st & 2nd calf cows may need supplement	Prebreeding -90 days - Vaccinate w/ BI's Citadel L5 . Weigh to make sure they will be at right weight on Oct 17. Vet must be present to vaccinate with RB-51(brucellosis) (See comment- NO PI TESTING)		
Aug. 2016		EXAMINE: Examine for BCS. Adjust supplement as needed to obtain BCS of 6.	Deworm with Cydectin POUR-ON. EXAMINE: Examine for BCS to see if all are in acceptable BCS. Pregnant cows must make it without supplement. Evaluate: Sorting into breeding herds if practical.	Deworm with Cydectin POUR-ON.		Remove bulls prior to calving.
2-Sep	Enter calving records	Begin 4% High Mg mineral CALVING: Calving will begin Sept 2 for AI calves.	Begin 4% High Mg mineral	NEW BIRTHS Apply visual Tag and EID. Apply Iodine to navel and to tag holes in ears. Castrate male calves. Weigh calves.		
Sept. 20-23, 2016	Record: Make sure to record all necessary birthing information.		CALVING: Calving will begin Sept. 23 for AI calves and end on Nov 23.	Prebreeding: Vaccinate with Express FP 10. YEARLING DATA Weigh and BCS, hoof score, disposition score and Frame score Deworm with Cydectin pour on..		
Oct. 21-2017	Making breeding decisions and develop AI/Natural Service Breeding Plan. Order semen and AI supplies.			AI: Insert CIDR for 14 days. Separate and begin to feed 3lbs a day if needed. OR PLAN 7 DAY		Prebreeding: Conduct breeding soundness examine. Vaccinate with Express FP 5 VL5. Deworm with Cydectin INJECTABLE
Nov. 4, 2017			Begin 8% P Hi Mg Mineral	AI: Remove CIDR 14 days after inserting. Begin 8% P Mineral		Begin 8% P Mineral EXAMINE: Examine for acceptable body condition.
Nov. 21, 2017	Decide which cows to AI.			AI: Give HEIFERS <u>Lutalyse(Prostaglandin)</u>		
			Cow calving ends Nov. 20			
Dec. 4-6, 2017			AI: <u>Insert CIDRs</u> & give <u>GNRH Cystorelin (Merial)injection</u>	Set up heat checking		
29-Nov						EXAMINE: Make sure bulls are staying in acceptable body condition.
Dec. 11-13, 2017			AI: Remove CIDRs cows & inject <u>Lutalyse(Prostaglandin)</u>			
Dec.14-16, 2017			AI cows. Inject with <u>GNRH Cystorelin (Merial), -</u>	GO TO COLUMN "Breeding/Pregnant Heifers" for January items		
27-Dec			Put bulls with cows or set up heat checks			



Cell: E2

Comment: Pyramid 5 + Presponse SQ - (Boehringer Ingelheim) IBR, BVD Types I and II, PI3, BRSV and Mannheimia haemolytica. Give 2 ml SQ. Safe for pregnant cows, or calves nursing pregnant cows, providing they were vaccinated pre-breeding, according to label directions, with Pyramid 5 or Pyramid 10. Calves vaccinated before 6 months of age should be revaccinated at 6 months of age. Annual booster is recommended. Modified live, requires mixing.

Cell: C4

Comment: PREG CHECK: Preg checking at 60 days after last AI or bull out is past the time of most EMBRYONIC deaths.

Cell: D5

Comment: PREG CHECK: Preg checking at 60 days after last AI or bull out is past the time of most EMBRYONIC deaths.

Cell: F5

Comment: 3-9-17 Per Tracy Bruner Ralgro Magnium is better than Synovex S. Synovex S has a negagive effiect on quality grade

Cell: D6

Comment: 2/10/17 Changed to Pyramid 5 after discussion with Doug Ensley, Randy Fordam, Matthew, Mike Joe

Cell: E10

Comment: 2-5-13 NO PI TESTING- In discussions with Dr. Doug Ensley, I decided to discontinue do ear notch PI testing. I have tested hundreds, never had a positive and had a strong MLV testing program for over 10 years. I should never get a PI calf.

Cell: D11

Comment: 12-26-15 chanbeUse Pour-on to help with fly control as well as deworm.

Cell: D17

Comment: Deworm with Cydectin pour on for parasites inc. lice & flies